



U.S. Department of Justice

Office of Justice Programs

National Institute of Justice

Washington, D.C. 20530

NIJ Safety Notice #01-2017

EFFECTIVE DATE: May 5, 2017

SUBJECT: Angel Armor Ballistic Body Armor Model Rise, Premium, Female, II

The National Institute of Justice (NIJ) hereby advises that Angel Armor ballistic body armor Model Rise, Premium, Female, II has been permanently removed from the NIJ Compliant Products List due to unresolved safety concerns. Any armors of this model should be replaced as soon as possible.

NIJ encourages law enforcement and corrections officers to continue to wear their body armor until it is replaced. Wearing armor that may have reduced effectiveness is better than not wearing any armor.

For further information, contact:

Justice Technology Information Center
700 N. Frederick Ave., Bldg. 181, Room 1L30
Gaithersburg, MD 20879
(800) 248-2742 / (301) 519-5060
E-mail: bactp@nlectc.org

Supplementary information

The NIJ Standard 0101.06 *Ballistic Resistance of Personal Body Armor* can be found at <https://www.ncjrs.gov/pdffiles1/nij/223054.pdf>. NIJ's research and testing reports in response to the Attorney General's Body Armor Safety Initiative can be found at <https://ojp.gov/bvpbasi/>

Policearmor.org is hosted by the Justice Technology Information Center (JTIC), a component of NIJ's National Law Enforcement and Corrections Technology Center System. It provides technical information, NIJ's Compliance Testing Program and Compliant Product List, guidelines for proper fit and care of body armor, and a direct link to the Bulletproof Vest Partnership (BVP) Program's web page