



U.S. Department of Justice

Office of Justice Programs

National Institute of Justice

Washington, D.C. 20530

NIJ Advisory Notice #07-2013

EFFECTIVE DATE: May 16, 2013

SUBJECT: American Body Armor models BA-2000S-HP02F, BA-2000S-SX01F produced at the Jacksonville, FL Location.

The National Institute of Justice (NIJ) hereby advises that American Body Armor models BA-2000S-HP02F, BA-2000S-SX01F have been suspended from the NIJ Ballistic-resistant Body Armor Compliant Products List (CPL). Suspension has occurred because of the noncompliance of production samples with our Follow-up Inspection and Testing Program. Following the completion of an ongoing evaluation, the compliance status of this model will be updated on the CPL.

Law enforcement and corrections officers currently wearing this model of armor are encouraged to continue wearing it or other NIJ-compliant body armor and to periodically check the CPL for resolution or removal of this notice.

For further information, contact:

National Law Enforcement and Corrections Technology Center-National
2277 Research Blvd., Mail Stop 8-J
Rockville, MD 20850
(800) 248-2742
Email: bactp@nlectc.org

Supplementary information

Information about NIJ Standard 0101.06 *Ballistic Resistance of Personal Body Armor* can be found at <http://www.justnet.org/CTP>. NIJ's research and testing reports in response to the Attorney General's Body Armor Safety Initiative can be found at <https://vests.ojp.gov>.