



U.S. Department of Justice

Office of Justice Programs

National Institute of Justice

Washington, D.C. 20531

NIJ Safety Notice #03-2023

EFFECTIVE DATE: May 26, 2023

SUBJECT: Giramsa, S.A. De C.V., PC4-02

The National Institute of Justice (NIJ) hereby advises Giramsa, S.A ballistic-resistant body armor model PC4-02 has been permanently removed from the NIJ Compliant Products List due to unresolved safety concerns. Any armors of this model designation should be replaced as soon as possible.

NIJ encourages law enforcement and corrections officers to continue to wear their body armor until it is replaced. Wearing armor that may have reduced effectiveness is better than not wearing any armor.

For further information, contact:

Criminal Justice Testing & Evaluation Consortium
P.O. Box 12194
3040 East Cornwallis Road
Hermann Building Room 216
Research Triangle Park, NC 27709-2194
(919) 485-2717
Email: askctp@nijctp.org

Supplementary information

NIJ Standard 0101.06 *Ballistic Resistance of Personal Body Armor* can be found at <https://www.ncjrs.gov/pdffiles1/nij/223054.pdf>. NIJ's research and testing reports in response to the Attorney General's Body Armor Safety Initiative can be found at <https://ojp.gov/bvpbasi/>.

Policearmor.org is hosted by the Justice Technology Information Center (JTIC), a component of NIJ's National Law Enforcement and Corrections Technology Center System. It provides technical information, NIJ's Compliance Testing Program and Compliant Product List, guidelines for proper fit and care of body armor and a direct link to the Office of Justice Programs Bulletproof Vest Partnership (BVP) Program's web page.