



**U.S. Department of Justice**

Office of Justice Programs

*National Institute of Justice*

---

*Washington, D.C. 20531*

**NIJ Advisory Notice #26-2023**

EFFECTIVE DATE: November 29, 2023

SUBJECT: Protective Materials Technology, S.A. de C.V. model – PMT-PBPD212-III

The National Institute of Justice (NIJ) hereby advises that Protective Materials Technology, S.A. de C.V. model PMT-PBPD212-III has been suspended from the NIJ Compliant Products List. Following the completion of an ongoing evaluation, the compliance status of this model will be reassessed.

Law enforcement and corrections officers currently wearing this model of armor are encouraged to continue wearing it during this suspension period.

For further information, contact:

Criminal Justice Testing & Evaluation Consortium  
P.O. Box 12194  
3040 East Cornwallis Road  
Hermann Building Room 216  
Research Triangle Park, NC 27709-2194  
(919) 485 - 2717  
Email: askctp@nijctp.org

*Supplementary information*

Information about NIJ Standard 0101.06 *Ballistic Resistance of Personal Body Armor* can be found at [CJTEC - Active NIJ Advisory Notices and Police Armor webpage](#). NIJ's research and testing reports in response to the Attorney General's Body Armor Safety Initiative can be found at [OJP BVP website](#).